

**Product name:** Gallant™ Ultra Herbicide**Issue Date:** 24.06.2020

Dow AgroSciences (NZ) Ltd encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

---

**Product name:** Gallant™ Ultra Herbicide  
**Identified uses:** End use herbicide product

### COMPANY IDENTIFICATION

DOW AGROSCIENCES\* (NZ) LIMITED  
89 PARITUTU ROAD  
4342 NEW PLYMOUTH  
NEW ZEALAND

**Customer Information Number:** 0800-803-939  
[NZCustomerservice@corteva.com](mailto:NZCustomerservice@corteva.com)

### EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:** +64 6 751 2407  
**Local Emergency Contact:** 0800 844 455

**For medical advice, contact the New Zealand Poisons Information Centre:**  
0800 POISON (0800 764 766)

**Transport Emergency Only Dial:** 111

This SDS may not provide exhaustive guidance for all the HSNO controls assigned to this substance. The NZ EPA website [www.epa.govt.nz](http://www.epa.govt.nz) should be consulted for a full list of triggered controls and cited regulations

---

## 2. HAZARDS IDENTIFICATION

---

### Hazard classification

NEW ZEALAND HAZARDOUS SUBSTANCES CLASSIFICATION: Classified as hazardous according to criteria in the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Notice 2017, and the Hazardous Substances (Classification) Notice 2017. Refer to Section 15 for HSNO Approval Number.

**HSNO classifications:** 3.1D, 6.1D, 6.3B, 6.4A, 6.9B, 9.1A, 9.3B

Signal word: **WARNING!**

### Hazard statements

Combustible liquid  
Harmful if swallowed

Causes serious eye irritation.  
Causes mild skin irritation  
May cause damage to organs (Blood. Kidney. Liver. Testes. Thyroid) through prolonged or repeated exposure.  
Very toxic to aquatic life with long lasting effects.  
Toxic to terrestrial vertebrates.

### Prevention

Keep out of reach of children.  
Read label before use.  
Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Do not breathe fumes/mist/vapours/spray  
Wear protective gloves/protective clothing/ eye and face protection.  
Do not eat, drink or smoke when using this product.  
Wash skin thoroughly after handling.  
Avoid unintentional release to the environment.

### Response

In case of fire: Use water fog or fine spray, dry chemical, foam, or carbon dioxide extinguishers. See section 5 for more information.  
If medical advice is needed, have product container or label at hand.  
IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.  
If skin irritation occurs: Get medical advice/attention.  
Get medical advice/attention if you feel unwell.  
Collect spillage.

### Storage

Store in a well ventilated place. Keep cool.  
Store locked up.

### Disposal

Dispose of contents/ container to an approved waste disposal plant.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

Component	CASRN	Concentration
Haloxypop-P methyl ester	72619-32-0	46.9 %
Diethylene glycol monoethyl ether	111-90-0	40 – 45%
Haloxypop	69806-34-4	0.5%
Balance	Not available	7.6 - 12.6 %

---

## 4. FIRST AID MEASURES

---

**Consult the National Poisons Information Centre (0800 POISON (0800 764 766)) or a doctor in every case of suspected chemical poisoning. Never give fluids or induce vomiting if a patient is unconscious or convulsing regardless of cause of injury. If breathing difficulties occur seek medical attention immediately.**

**Description of first aid measures**

**General advice:** If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

**Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

**Indication of any immediate medical attention and special treatment needed**

**Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

---

**5. FIREFIGHTING MEASURES**

---

**Hazchem code:** ●2X

**Suitable extinguishing media:** Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

**Unsuitable extinguishing media:** No data available

**Special hazards arising from the substance or mixture**

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Hydrogen fluoride. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

**Advice for firefighters**

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of re-ignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose

holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

**Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep personnel out of low areas. Refer to section 7: Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8: Exposure Controls and Personal Protection.

**Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12: Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

**Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Corteva Agriscience for clean-up assistance. See Section 13: Disposal Considerations, for additional information.

---

## 7. HANDLING AND STORAGE

---

**Precautions for safe handling:** Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapour or mist. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. Containers, even those that have been emptied, can contain vapours. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. See Section 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**Conditions for safe storage:** Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

**This substance is subject to a requirement for an emergency management plan, secondary containment and signage, whenever it is held in quantities of 100 L or more, either alone or in aggregate with other hazardous substances. See Hazardous Substances Emergency Management and Identification Regulations.**

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure limits are listed below, if they exist:

Component	Regulation	Type of listing	Value/Notation
Diethylene glycol monoethyl ether	US WEEL	TWA	140 mg/m <sup>3</sup> 25 ppm
Haloxyfop	Dow IHG	TWA	2 mg/m <sup>3</sup>

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

### Exposure controls

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

### Individual protection measures

**Eye/face protection:** Use safety glasses (with side shields).

#### Skin protection

**Hand protection:** Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Use chemical resistant gloves classified under standard AS/NZS 2161.10: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Neoprene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. When prolonged or frequently repeated contact may occur, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to AS/NZS 2161.10) is recommended. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Wear clean, body-covering clothing.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

**Other Information:** Selection and use of personal protective equipment should be in accordance with the recommendations in one or more of the relevant Australian/New Zealand Standards, including:

- AS/NZS 1336: Eye and Face protection - Guidelines.
- AS/NZS 1337: Personal eye protection - Eye and face protectors for occupational applications.
- AS/NZS 1715: Selection, use and maintenance of respiratory protective equipment.
- AS/NZS 2161: Occupational protective gloves.
- AS/NZS 2210: Occupational protective footwear.
- AS/NZS 4501: Occupational protective clothing.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance - Physical state &amp; colour</b>	Brown liquid.
<b>Odour</b>	Solvent
<b>Odour Threshold</b>	No data available
<b>pH</b>	5.4 <i>CIPAC MT 75.2</i>
<b>Melting point/range</b>	Not applicable to liquids
<b>Freezing point</b>	No test data available
<b>Boiling point (760 mmHg)</b>	202 <sup>o</sup> c <i>Literature</i> (solvent)
<b>Flash point - closed cup</b>	97.5 <sup>o</sup> c
<b>Evaporation Rate (Butyl Acetate = 1)</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Lower explosion limit</b>	1.2 % vol <i>Literature</i> (solvent)
<b>Upper explosion limit</b>	8.5 % vol <i>Literature</i> (solvent)
<b>Vapour Pressure</b>	14 mmHg at 20 °C <i>Literature</i>
<b>Relative Vapour Density (air = 1)</b>	1.148
<b>Relative Density (water = 1)</b>	116 at 20 °C <i>Literature</i>
<b>Water solubility</b>	Emulsifiable
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Decomposition temperature</b>	No data available
<b>Dynamic Viscosity</b>	34.4 mPa.s at 20 °C; 14.1 mPa.s at 40 °C
<b>Kinematic Viscosity</b>	No data available
<b>Explosive properties</b>	No data available
<b>Oxidizing properties</b>	No significant increase (>5°C) in temperature
<b>Liquid Density</b>	1.151 g/ml <i>Calculated.</i>
<b>Molecular weight</b>	No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## 10. STABILITY AND REACTIVITY

---

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical stability:** Unstable at elevated temperatures.

**Possibility of hazardous reactions:** Polymerization will not occur.

**Conditions to avoid:** Exposure to elevated temperatures can cause product to decompose. Generation of gas during decomposition can cause pressure in closed systems.

**Incompatible materials:** Avoid contact with: Strong oxidizers.

**Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide. Hydrogen chloride. Hydrogen fluoride. Toxic gases are released during decomposition.

---

## 11. TOXICOLOGICAL INFORMATION

---

### Acute toxicity

#### Acute oral toxicity

Moderate toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury, even death.

As product: LD50, Rat, female, 500 mg/kg

#### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: LD50, Rat, male and female > 2,000 mg/kg. No deaths occurred at this concentration.

#### Acute inhalation toxicity

No adverse effects are anticipated from single exposure to mist. Excessive exposure may cause irritation to upper respiratory tract (nose and throat).

As product: LC50, Rat, male and female, 4 Hour, dust/mist > 5.41 mg/l. No deaths occurred at this concentration.

### Skin corrosion/irritation

Brief contact is essentially non-irritating to skin.

### Serious eye damage/eye irritation

May cause slight eye irritation. Corneal injury is unlikely. May cause pain disproportionate to the level of irritation to eye tissues.

### Sensitization

As product: Did not demonstrate the potential for contact allergy in mice.  
For respiratory sensitization: No relevant data found.

### Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

### Specific Target Organ Systemic Toxicity (Repeated Exposure)

For similar active ingredient(s): In animals, effects have been reported on the following organs: Blood. Kidney. Liver. Testes. Thyroid. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use.

For the solvent(s): Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

### Carcinogenicity

For similar active ingredient(s). Haloxyfop did not cause cancer in laboratory rats; however, there was a slightly increased incidence of malignant liver tumors in female mice in a lifetime dietary feeding study.

For the solvent(s): Did not cause cancer in laboratory animals.

### Teratogenicity

For similar active ingredient(s). Has been toxic to the foetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals.

For the solvent(s): Did not cause birth defects or any other foetal effects in laboratory animals.

**Reproductive toxicity**

For the solvent(s): Studies in laboratory animals indicate that diethylene glycol monoethyl ether (DEGEE) is not a reproductive toxicant even when given in large amounts (a few percent in the drinking water). However, at the highest doses, it caused some toxic effects in offspring of treated animals: increased liver weight, decreased brain weight, reduced sperm motility.  
For similar active ingredient(s). In animal studies, did not interfere with reproduction.

**Mutagenicity**

In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

**Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

---

**12. ECOLOGICAL INFORMATION**

---

**Ecotoxicity****Acute toxicity to fish**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50, *Oncorhynchus mykiss* (rainbow trout), flow-through test, 96 Hour, 0.92 mg/l. OECD Test Guideline 203 or Equivalent

**Acute toxicity to aquatic invertebrates**

LC50, *Daphnia magna* (Water flea), static test, 48 Hour, 38 mg/l. OECD Test Guideline 202 or Equivalent

**Acute toxicity to algae/aquatic plants**

ErC50, *Pseudokirchneriella subcapitata* (green algae), static test, Growth rate inhibition > 31 mg/l. OECD Test Guideline 201 or Equivalent

**Toxicity to Above Ground Organisms**

Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2,000 mg/kg).  
Oral LD50, *Colinus virginianus* (Bobwhite quail), mortality, 1,517 mg/kg bodyweight.

Oral LD50, *Apis mellifera* (bees), 48 Hour, mortality > 210.0 micrograms/bee

Contact LD50, *Apis mellifera* (bees), 48 Hour, mortality > 200.0 micrograms/bee

**Toxicity to soil-dwelling organisms**

LC50, *Eisenia fetida* (earthworms), 14 d, mortality, 671.05 mg/kg

**Persistence and degradability****Haloxypop-P methyl ester**

**Biodegradability:** Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

10-day Window: Fail

**Biodegradation:** 8 - 11 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301D or Equivalent

**Stability in Water:** Hydrolysis, half-life, pH 9 < 24 Hour



**Diethylene glycol monoethyl ether**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Material is ultimately biodegradable (reaches > 70% mineralization in OECD test(s) for inherent biodegradability).

10-day Window: Pass

**Biodegradation:** 90 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301E or Equivalent

10-day Window: Not applicable

**Biodegradation:** > 90 %

**Exposure time:** 5.5 d

**Method:** OECD Test Guideline 302B or Equivalent

**Theoretical Oxygen Demand:** 1.91 mg/mg

**Chemical Oxygen Demand:** 1.84 mg/mg

**Biological oxygen demand (BOD)**

Incubation Time	BOD
5 d	5 - 17 %
10 d	31 - 71 %
20 d	49 - 87 %

**Photodegradation**

**Test Type:** Half-life (indirect photolysis)

**Sensitizer:** OH radicals

**Atmospheric half-life:** 4.093 Hour. *Estimated*

**Haloxypop**

**Biodegradability:** Chemical degradation (hydrolysis) is expected in the environment within months to years.

**Stability in Water (1/2-life):** Hydrolysis > 45 d

**Balance**

**Biodegradability:** No relevant data found.

**Bioaccumulative potential****Haloxypop-P methyl ester**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3,000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water (log Pow):** 0.63 - 4.6 *Measured*

**Bioconcentration factor (BCF):** 262 *Estimated*.

**Diethylene glycol monoethyl ether**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water (log Pow):** -0.54 *Measured*

**Haloxypop**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3,000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water (log Pow):** 4.316 *Estimated*.

**Bioconcentration factor (BCF):** 9 Fish *Measured*

**Balance**

**Bioaccumulation:** No relevant data found.

**Mobility in Soil**

**Haloxyfop-P methyl ester**

Potential for mobility in soil is medium (Koc between 150 and 500).

**Partition coefficient (Koc):** 17,800 *Estimated.*

**Diethylene glycol monoethyl ether**

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient (Koc):** 20 *Estimated.*

**Haloxyfop**

Potential for mobility in soil is high (Koc between 50 and 150).

**Partition coefficient (Koc):** 76 *Measured*

**Balance**

No relevant data found.

**Results of PBT and vPvB assessment**

**Haloxyfop-P methyl ester**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB).

**Diethylene glycol monoethyl ether**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB).

**Haloxyfop**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB).

**Balance**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

---

## **13. DISPOSAL CONSIDERATIONS**

---

**Disposal methods:** If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

Waste handling, treatment and disposal practices must be in compliance with the New Zealand Hazardous Substances (Disposal) Regulations 2001. Additional local requirements may be applicable in accordance with planning controls under the Resource Management Act. Regulations concerning waste management may vary in different locations.

This product when disposed of in its unused and uncontaminated state should be treated as a hazardous waste.

---

## 14. TRANSPORT INFORMATION

---

**PUBLIC PASSENGER VEHICLE TRANSPORT: To be transported ONLY in sealed original container. Maximum volume permitted to be transported: 1L**

**Classification for ROAD and Rail transport:**

<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Haloxyfop methyl ester)
<b>UN number</b>	UN 3082
<b>Class</b>	9
<b>Packing group</b>	III
<b>Environmental hazards</b>	Haloxyfop methyl ester

**Classification for SEA transport (IMO-IMDG):**

<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Haloxyfop methyl ester)
<b>UN number</b>	UN 3082
<b>Class</b>	9
<b>Packing group</b>	III
<b>Marine pollutant</b>	Haloxyfop methyl ester
<b>Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code</b>	Consult IMO regulations before transporting ocean bulk

**Classification for AIR transport (IATA/ICAO):**

<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Haloxyfop methyl ester)
<b>UN number</b>	UN 3082
<b>Class</b>	9
<b>Packing group</b>	III

**Hazchem code:** ●2X

**Matters needing attention for transportation**

Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special provision A197. If the product meets these special provisions, it may be shipped in New Zealand as a non-dangerous goods under provisions in NZS 5433 code which accepts IMDG and IATA classification.

This information is not intended to convey all specific regulatory or operational requirements/ information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## 15. REGULATORY INFORMATION

**ACVMG APPROVAL NUMBER:** P8111

**HSNO Approval Code:** HSR100054

ADVICE TO PRODUCT USERS REGARDING HSNO CONTROLS: Users of this product should make reference to the New Zealand Hazardous Substances and New Organisms Act and Regulations for relevant risk management controls. Additional local requirements may be applicable in accordance with planning controls under the Resource Management Act. Refer to Environment Protection Authority publication; User Guide to the HSNO Controls Regulations. <http://www.epa.govt.nz>

## 16. OTHER INFORMATION

### Revision

Identification Number: 101203289 / A157 / Issue Date: 24.06.2020 / Version: Replaces 31.10.2019

DAS Code: GF-142

**Sections amended: 2**

### Legend

Dow IHG	Dow Industrial Hygiene Guideline
TWA	8-hr Time weighted average
US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

DOW AGROSCIENCES\* (NZ) LIMITED urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

© Dow AgroSciences (NZ) Ltd 2020