

HAZNOTE[™]

CORTEVA AGRISCIENCE New Zealand Ltd Private Bag 2017, New Plymouth Tel: 0800 803 939

Substance: Liqui	id containing	organo-silicone n		TM Penet droxide, ethoxyla		nethylsiloxy) silane (CAS No. 67674	1-67-3)	
Proper shipping UN No.:	name: Not re DG Class:	Subsidiary Risk Class:	Packing Group:	Flash Point (°C):	HAZCHE	M: Marine Pollutant:	ne Land Transport		
None	None	None	None	>100°C	None	No	25		
Approval No: HSI	R002503					Tracking Required:	Tracking Certified IER Required: Handler: Guide		
GHS Classificati		in contact with sl auses serious eye			tation - cate	gory No	Not	No ² : 47	
EMERGENCY	PROCED	URES		24 H		CE IN AN EMERGE	NCY ONLY: 0	800 844 455	
F THIS HAPPENS	DO THIS								
Tanker/ Vehicle Accident	Switch off	Switch off engine and electrical equipment. Keep people away, warn other traffic. Check for spills, leaks. Call the emergency services: Dial 111							
Spill or leak	neck and Small spi container Seek advi	DO NOT touch or walk through spilled material. Wear faceshield or goggles, chemical resistant overalls (buttoned to neck and wrist), gloves and boots. Stop leak if safe to do so. Dike area and prevent entry into waterways and drains. Small spills/leaks: Absorb with material such as clay, dirt or sand. Collect spilled product and place into sealable container for disposal. Spill residues may be cleaned using water and detergent. Contain and absorb wash water. Seek advice from the SDS, product label or Corteva Agriscience regarding disposal. Large spills/leaks: Report large spills to Corteva Agriscience Emergency Services at 0800 844 455.							
Fire	Call the Fire Service: Dial 111. Fumes and combustion products produced in a fire may be toxic and/or irritating. Small fire: Use water fog or fine spray, dry chemical, CO2 or foam. Large fire: Use foam, alcohol foam or water spray. Alcohol resistant foams (ATC type) are preferred. If safe to do so, move undamaged containers from fire area. Deny unnecessary entry. Do not allow material or run-off to enter waterways.								
FIRST AID									
						e vomiting unless to not give anything by			
If Swallowed:	Informatio person. Wash imn minutes a	n Centre or docto	or. Do not give tinuously with fl ning. Obtain pro	any liquid to the lowing water for a ompt medical cor	person. Do at least 30 m nsultation, pr		y mouth to an u	nconscious ter the first 5	
If Swallowed: If in Eyes:	Information person. Wash imm minutes a continue f Remove of	n Centre or docton nediately and cor nd continue wash lushing during tra	br. Do not give ttinuously with fl ning. Obtain pro insport to emerg hing immediate	any liquid to the lowing water for a ompt medical cor gency care facilit ly. Rinse skin imi	person. Do at least 30 m nsultation, pr y.	not give anything by	y mouth to an u ontact lenses af hthalmologist.	nconscious ter the first 5 If necessary	
If Swallowed: If in Eyes: If on Skin:	Informatio person. Wash imm minutes a continue f Remove of poison co Move pers to-mouth	n Centre or docton nediately and con nd continue wash lushing during tra- contaminated clot ntrol centre or do son to fresh air.	br. Do not give tinuously with fl ning. Obtain pro- ninsport to emerge hing immediate ctor for treatme f person is not be ection (pocket m	any liquid to the lowing water for a ompt medical cor gency care facility ly. Rinse skin imi nt advice. preathing, call for ask etc). Call th	person. Do at least 30 m sultation, pr y. mediately wi r an ambular e Poison Infe	not give anything by ninutes. Remove co referably from an op th plenty of water for note then give artificio ormation Centre or o	y mouth to an u ontact lenses af hthalmologist. or 15 – 20 minut al respiration; if	nconscious ter the first 5 If necessary es. Call a by mouth-	
If Swallowed: If in Eyes: If on Skin: If Inhaled:	Informatio person. Wash imm minutes a continue f Remove of poison co Move pers to-mouth If breathin	n Centre or docto nediately and cor nd continue wash lushing during tra- contaminated clot ntrol centre or do son to fresh air. I use rescuer prote ig is difficult, oxyg	br. Do not give tinuously with fl ning. Obtain pro- ninsport to emerge hing immediate ctor for treatme f person is not be ection (pocket m	any liquid to the lowing water for a ompt medical cor gency care facility ly. Rinse skin imi nt advice. preathing, call for ask etc). Call th	person. Do at least 30 m sultation, pr y. mediately wi r an ambular e Poison Infe	not give anything by ninutes. Remove co referably from an op th plenty of water for note then give artificio ormation Centre or o	y mouth to an u ontact lenses af hthalmologist. or 15 – 20 minut al respiration; if	nconscious ter the first 5 If necessary es. Call a by mouth-	
If Swallowed: If in Eyes: If on Skin: If Inhaled: STORAGE AND S Storage: Store in be stored in an un	Informatio person. Wash imm minutes a continue f Remove of poison co Move pers to-mouth If breathin SEGREGATIO	n Centre or doctor nediately and cor nd continue wash lushing during tra- contaminated clot ntrol centre or do son to fresh air. I use rescuer prote ig is difficult, oxyg ON d original containe ng. Do not store	br. Do not give tinuously with fining. Obtain pro- unsport to emerg hing immediate ctor for treatme f person is not b ection (pocket m gen should be a per in a cool, dry with food, feeds	any liquid to the lowing water for a ompt medical cor gency care facility ly. Rinse skin imin nt advice. preathing, call for ask etc). Call the dministered by q well-ventilated a	person. Do at least 30 m nsultation, pr y. mediately wi r an ambular e Poison Inf ualified pers rea out of di	not give anything by ninutes. Remove co referably from an op th plenty of water for note then give artificio ormation Centre or o	y mouth to an u ontact lenses af hthalmologist. In 15 – 20 minut al respiration; if doctor for treatr	nconscious ter the first 5 If necessary tes. Call a by mouth- nent advice.	
If Swallowed: If in Eyes: If on Skin: If Inhaled: STORAGE AND S Storage: Store in be stored in an un precautions relativ AGGREGATE ST	Informatio person. Wash imm minutes a continue f Remove of poison co Move pers to-mouth If breathin SEGREGATION tightly closed heated buildi ve to the end	n Centre or doctor nediately and con nd continue wash lushing during tra- contaminated clot ntrol centre or do son to fresh air. I use rescuer prote ig is difficult, oxyg ON d original containen ng. Do not store use of this product LUME THRESHO	br. Do not give itinuously with finding. Obtain pro- insport to emerge hing immediate ctor for treatment f person is not be bection (pocket model) gen should be a per in a cool, dry with food, feeds ct. DLDS: When sto	any liquid to the lowing water for a ompt medical cor gency care facility ly. Rinse skin imin nt advice. preathing, call for ask etc). Call th dministered by q well-ventilated a stuffs, fertilizers a	person. Do at least 30 m sultation, pr y. mediately wi r an ambular e Poison Infr ualified pers rea out of di and seeds. S	not give anything by ninutes. Remove co referably from an op th plenty of water for ormation Centre or onnel.	y mouth to an u ontact lenses af hthalmologist. or 15 – 20 minut al respiration; if doctor for treatr tot in use. This r further handlin gregate quantity	nconscious ter the first 5 If necessary tes. Call a by mouth- nent advice. product can ng/storage must be	
If Swallowed: If in Eyes: If on Skin: If Inhaled: STORAGE AND S Storage: Store in be stored in an un precautions relativ AGGREGATE ST	Informatio person. Wash imm minutes a continue f Remove of poison co Move pers to-mouth If breathin SEGREGATION tightly closed heated buildi re to the end ORAGE VOL ull details refe	n Centre or doctor nediately and con nd continue wash lushing during tra- contaminated clot ntrol centre or do son to fresh air. I use rescuer prote g is difficult, oxyg ON d original containen use of this product LUME THRESHO er to the current N cialised Toxic Corrosive age required ⁴ :	br. Do not give itinuously with finding. Obtain pro- insport to emerge hing immediate ctor for treatment f person is not be bection (pocket model) gen should be a per in a cool, dry with food, feeds ct. DLDS: When sto	any liquid to the lowing water for a ompt medical cor gency care facility ly. Rinse skin imin nt advice. preathing, call for ask etc). Call th dministered by q well-ventilated a stuffs, fertilizers a genent of Agriche e Numbe Extingu	person. Do at least 30 m sultation, pr y. mediately wi r an ambular e Poison Infr ualified pers rea out of di and seeds. S	not give anything by ninutes. Remove co referably from an op th plenty of water for note then give artifici- ormation Centre or onnel. rect sunlight when r See product label for ame hazard the agg	y mouth to an u ontact lenses af hthalmologist. or 15 – 20 minut al respiration; if doctor for treatr tot in use. This r further handlin gregate quantity cances Regulati ms ⁷ : Se	nconscious ter the first 5 If necessary es. Call a by mouth- nent advice. product can ng/storage must be ons.	
f Swallowed: f in Eyes: f on Skin: f on Skin: f Inhaled: Storage: Store in be stored in an un precautions relative AGGREGATE ST considered. For fr Location Compliance Certificate ³ :	Informatio person. Wash imm minutes a continue f Remove of poison co Move pers to-mouth If breathin SEGREGATION tightly closed heated buildi re to the end ORAGE VOL ull details refe	n Centre or doctor nediately and con nd continue wash lushing during tra- contaminated clot ntrol centre or do son to fresh air. I use rescuer prote g is difficult, oxyg ON d original containen use of this product LUME THRESHO er to the current N cialised Toxic	br. Do not give itinuously with fining. Obtain pro- insport to emerge hing immediate ctor for treatme f person is not be bection (pocket mo- gen should be an er in a cool, dry with food, feeds ct. DLDS: When stor IZS8409 Manage Flammabli storage	any liquid to the lowing water for a compt medical cor gency care facility ly. Rinse skin imin advice. Dreathing, call for ask etc). Call th dministered by q well-ventilated a stuffs, fertilizers a pred with substan gement of Agriche e Numbe Extinge	person. Do at least 30 m sultation, pr y. mediately wi r an ambular e Poison Infr ualified pers rea out of di and seeds. S nees of the s emicals or the er of Fire	not give anything by ninutes. Remove co referably from an op th plenty of water for note then give artifici- ormation Centre or onnel. rect sunlight when n See product label for ame hazard the agg ne Hazardous Subst Emergency	y mouth to an u ontact lenses af hthalmologist. or 15 – 20 minut al respiration; if doctor for treatr not in use. This r further handlin gregate quantity cances Regulati ns ⁷ : Emerg Se Cont	nconscious ter the first 5 If necessary es. Call a by mouth- nent advice. product can ng/storage must be ons. ency plan 8 condary	
f Swallowed: f in Eyes: f on Skin: f on Skin: f Inhaled: STORAGE AND S Storage: Store in be stored in an un brecautions relative AGGREGATE ST considered. For for Location Compliance Certificate ³ : Not applicable	Informatio person. Wash imm minutes a continue f Remove of poison co Move pers to-mouth If breathin SEGREGATION tightly closed heated buildi ve to the end ORAGE VOL ull details refe	n Centre or doctor nediately and con nd continue wash lushing during tra- contaminated clot ntrol centre or do son to fresh air. I use rescuer prote g is difficult, oxyg ON d original containen ng. Do not store use of this product LUME THRESHO er to the current N cialised Toxic Corrosive age required ⁴ : No	br. Do not give tinuously with fining. Obtain pro- insport to emerge hing immediate ctor for treatment f person is not be ction (pocket magnetic for the formation gen should be an er in a cool, dry with food, feedse ct. DLDS: When stor IZS8409 Manage Flammabl storage required ⁵	any liquid to the lowing water for a ompt medical corr gency care facility ly. Rinse skin imin nt advice. preathing, call for ask etc). Call th dministered by q well-ventilated a stuffs, fertilizers a pred with substan gement of Agriche e Number Exting Not ap	person. Do at least 30 m hsultation, pr y. mediately wi r an ambular e Poison Infu ualified pers rea out of di and seeds. S emicals or the semicals or the re of Fire uishers ⁶ :	not give anything by ninutes. Remove cc referably from an op th plenty of water for ormation Centre or onnel. rect sunlight when n See product label for ame hazard the agg he Hazardous Subst Emergency Management sig	y mouth to an u ontact lenses af hthalmologist. or 15 – 20 minut al respiration; if doctor for treatr not in use. This r further handlin gregate quantity cances Regulati ns ⁷ : Emerg Se Cont	nconscious ter the first 5 If necessary es. Call a by mouth- nent advice. product can ng/storage must be ons. ency plan & condary tainment ⁸ :	
f Swallowed: f in Eyes: f on Skin: f on Skin: f Inhaled: STORAGE AND S Storage: Store in be stored in an un precautions relative AGGREGATE ST considered. For for Location Compliance Certificate ³ : Not applicable DO NOT STORE	Informatio person. Wash imm minutes a continue f Remove o poison co Move pers to-mouth If breathin SEGREGATIO tightly closed heated buildi ve to the end ORAGE VOL ull details refe	n Centre or doctor nediately and con nd continue wash lushing during tra- contaminated clot ntrol centre or do son to fresh air. I use rescuer prote g is difficult, oxyg ON d original containen ng. Do not store use of this product LUME THRESHO er to the current N cialised Toxic Corrosive age required ⁴ : No	or. Do not give itinuously with fl ing. Obtain pro- insport to emerge hing immediate ctor for treatme f person is not be ection (pocket mo- gen should be a er in a cool, dry with food, feeded ct. DLDS: When stor IZS8409 Manage Flammabl storage required ⁵ No SEGREGATE	any liquid to the lowing water for a ompt medical corr gency care facility ly. Rinse skin imin nt advice. preathing, call for ask etc). Call th dministered by q well-ventilated a stuffs, fertilizers a pred with substan gement of Agriche e Number Exting Not ap	person. Do at least 30 m sultation, pr y. mediately wi r an ambular e Poison Infu ualified pers rea out of di and seeds. S mees of the s emicals or th er of Fire uishers ⁶ :	not give anything by ninutes. Remove cc referably from an op th plenty of water for ormation Centre or onnel. rect sunlight when n See product label for ame hazard the agg he Hazardous Subst Emergency Management sig	y mouth to an u ontact lenses af hthalmologist. or 15 – 20 minut al respiration; if doctor for treatr toot in use. This r further handlin pregate quantity cances Regulati ms ⁷ : Emerg Scont	nconscious ter the first 5 If necessary es. Call a by mouth- nent advice. product can ng/storage must be ons. ency plan & condary tainment ⁸ :	
If Swallowed: If in Eyes: If on Skin: If on Skin: If Inhaled: STORAGE AND S Storage: Store in be stored in an un precautions relativ AGGREGATE ST considered. For for Location Compliance	Informatio person. Wash imm minutes a continue f Remove of poison co Move pers to-mouth If breathin SEGREGATIO tightly closed heated buildi ve to the end ORAGE VOL ull details refe or stora	n Centre or doctor nediately and con nd continue wash lushing during tra- contaminated clot ntrol centre or do son to fresh air. I use rescuer prote g is difficult, oxyg ON d original containen ng. Do not store use of this produc LUME THRESHO er to the current N Stalised Toxic Corrosive age required ⁴ : No	or. Do not give itinuously with fl ing. Obtain pro- insport to emerge hing immediate ctor for treatme f person is not be ection (pocket mo- gen should be a er in a cool, dry with food, feeded ct. DLDS: When stor IZS8409 Manage Flammabl storage required ⁵ No SEGREGATE	any liquid to the lowing water for a ompt medical cor gency care facility ly. Rinse skin imin advice. breathing, call for ask etc). Call th dministered by q well-ventilated a stuffs, fertilizers a pred with substan gement of Agricha e Numbe Extingu Not ap	person. Do at least 30 m sultation, pr y. mediately wi r an ambular e Poison Infu ualified pers rea out of di and seeds. S mees of the s emicals or th er of Fire uishers ⁶ :	not give anything by ninutes. Remove correferably from an op th plenty of water for ormation Centre or or onnel. rect sunlight when n See product label for ame hazard the agg the Hazardous Substition Emergency Management sig 10,000 L	y mouth to an u ontact lenses af hthalmologist. or 15 – 20 minut al respiration; if doctor for treatr toot in use. This r further handlin pregate quantity cances Regulati ms ⁷ : Emerg Scont	nconscious ter the first 5 If necessary es. Call a by mouth- nent advice. product can ng/storage must be ons. ency plan & condary tainment ⁸ :	

PLEASE TURN OVER

DISCLAIMER: The information provided above is based upon sources believed to be accurate. However, Corteva Agriscience New Zealand Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The consignor and consignee are responsible to determine the suitability of this information for their particular purposes by consulting the relevant legislation, regulations, standards or codes. HazNote[™] - Trademark of Agcarm Incorporated, The New Association for Animal Health and Crop Protection Boost[™] - TM ® Trademarks of Corteva Agriscience and its affiliated companies. © 2021 Corteva



CORTEVA AGRISCIENCE New Zealand Ltd Private Bag 2017, New Plymouth Tel: 0800 803 939

No & Kind of Packages:	Gross Wgt:	Kg	Volume:	m ³		
Consignor:		Consignee:				
If not a Dangerous Good cross out thi	Name:					
Dangerous Goods Declaration: I hereby declare that the contents of this	consignment are fully and	Title:				
accurately described above by the prope classified, packaged, marked and labelle in proper condition for transport accordin	Signature:					
international and national rules, regulations and legislation.				Date:		

HAZNOTE[™]

- ¹ Quantity limits for dangerous goods transported for domestic or recreational purposes, for use as tools-of-trade, for agricultural use of for a commercial purpose, but not transported for hire or direct reward. Schedule 1 of the Land Transport Rule Dangerous Goods 2005 Rule 45001/4.
- ² Initial Emergency Response Guide. 2009
- ³ See Health and Safety at Work (Hazardous Substances) Regulations 2017 or guidance document Hazardous substances that activate key safety controls, 2019, by Worksafe.
- ⁴ See Health and Safety at Work (Hazardous Substances) Regulations 2017 or guidance document Working safely with hazardous substances, 2019, by Worksafe. Indoor storage cabinets for class 6.1A, 6.1 B or 6.1C substances need to meet AS/NZS 4452:1997, or for class 8.2A and 8.2B substances need to meet the design requirements in AS 3780–2008.
- ⁵ See Health and Safety at Work (Hazardous Substances) Regulations 2017 or guidance document Working safely with hazardous substances, 2019, by Worksafe. Up to 250 L of flammable liquids may be stored in an approved flammable goods cabinet as long as each container is not greater than 20 L in size. The cabinet must comply with Australian Standard AS 1940-2004: The storage and handling of flammable and combustible liquids; or BS EN 14470-1:2004 Fire safety storage cabinets.
- ⁶ See Health and Safety at Work (Hazardous Substances) Regulations 2017 or guidance document Hazardous substances that activate key safety controls, 2019, by Worksafe.
- ⁷ See Health and Safety at Work (Hazardous Substances) Regulations 2017 or guidance document Hazardous substances that activate key safety controls, 2019, by Worksafe.
- ⁸ See Health and Safety at Work (Hazardous Substances) Regulations 2017 or guidance document Hazardous substances that activate key safety controls, 2019, by Worksafe.
- ⁹ See Schedule 3 Land Transport Rule: Dangerous Goods 2005 Rule 45001/4 & Health and Safety at Work (Hazardous Substances) Regulations 2017.
- ¹⁰ See Schedule 3 Land Transport Rule: Dangerous Goods 2005 Rule 45001/4 & Health and Safety at Work (Hazardous Substances) Regulations 2017.
- ¹¹ See Schedule 3 Land Transport Rule: Dangerous Goods 2005 Rule 45001/4 & Health and Safety at Work (Hazardous Substances) Regulations 2017.
- ¹² See Hazardous Substances (Pesticides) Transfer Notice 2004 (As Amended) Regulation 81.